



# Hardener A&B

PRODUCT TECHNICAL DATA SHEET



Hardener A&B  
Hardener A&B  
Hardener A&B  
Hardener A&B

## USAGE

Murakame Hardener A & B is designed to chemically extend the water base and discharge ink resistance of Murakami Direct Emulsions and Capillary Film.

## HOW TO USE:

1. Completely process stencils. Make sure stencils are dry. Inspect and touch up screen as necessary.
2. Mix Part A and Part B components at a 1:1 ratio. Do not add water. Mix what you need on a weekly basis.
3. Apply Hardener A&B to the screen using a sponge, soft cloth, or a spray bottle. Completely dry screen after hardener is applied.
4. Inspect screen to see if any hardener has dried into the image area. Rinse with tap water to remove any Hardener residue. Allow screen to dry.

## HANDLING

1. The use of waterproof gloves and protective eyewear are recommended when using Hardener A&B.
2. Do not thin Hardener A&B with either water or solvent. Use as is in order to maximize it's effect.

**IMPORTANT:** Technical data herein is believed to be accurate. It is offered for your consideration, investigation, and verification. Buyer assumes all risk of use, storage, and handling of the product. No warranty, express or implied is made, including but not limited to, implied warranties of merchantability and fitness for a particular purpose. Nothing contained herein shall be considered as a license to operate under, or recommendation to infringe any patents.



**MURAKAMI**

**MURAKAMI SCREEN USA, INC.** 745 Monterey Pass Rd. Monterey Park, CA 91754

TEL: 323.980.0662, FAX: 323.980.0659 [www.murakamiscreen.com](http://www.murakamiscreen.com)