



ER-601

PRODUCT TECHNICAL DATA SHEET



ER-601

ER-601

ER-601

ER-601

USAGE

Murakami 601 Emulsion Remover is designed for the removal of pure photopolymer, dual cure and diazo based direct emulsions and capillary films. ER-601 will not damage the mesh and will work on all types of fabric.

ADVANTAGES:

- Low VOC's, non hazardous, biodegradable and drain safe.
- Safe for use with emulsions and capillary film systems.
- High load capacity to reduce usage and costs.
- Very low odor.

APPLICATION:

Step 1:

Remove all ink from the screen and wash with either SC-501, SC-505, or SC-507 screen cleaner depending on ink system used. Rinse both sides of the screen with water.

Step 2:

Spray or wipe ER-601 onto both sides of the screen. Allow 30 to 60 seconds to allow for full penetration.

App. 3 Recirculation:

Remove emulsion residue from the screen with a high pressure water rinse.

**** ALWAYS READ THE MSDS SHEET ****

IMPORTANT: Technical data herein is believed to be accurate. It is offered for your consideration, investigation, and verification. Buyer assumes all risk of use, storage, and handling of the product. No warranty, express or implied is made, including but not limited to, implied warranties of merchantability and fitness for a particular purpose. Nothing contained herein shall be considered as a license to operate under, or recommendation to infringe any patents.



MURAKAMI